



Safety Data Sheet

Document No: SOXAL/SDS/81
Revision No: Rev. 1
Revision Date: 01 Jan. 08
Issue/Print Date:

LASAL 2

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Commercial name LASAL 2
Product name Carbon Dioxide, food grade
Chemical name/formula Carbon Dioxide / CO₂
Company identification See header and footer
Emergency phone no. See footer

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance/Preparation Substance
Components/Impurities Contains no other components or impurities, which will influence the classification of the product.
CAS No. 124-38-9

3. HAZARDS IDENTIFICATION

General

- Liquefied gas.
- In high concentrations may cause asphyxiation.

4. FIRST-AID MEASURES

Inhalation

- In high concentrations may cause asphyxiation. Symptoms may include loss of mobility or consciousness. Victim may not be aware of asphyxiation.
- Low concentrations of CO₂ may cause increased respiration and headache
- Remove victim to uncontaminated area wearing self-contained breathing apparatus.
- Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.

Skin/Eye contact

- Contact with liquid may cause cold burns or frost bite.
- Immediately flush eyes thoroughly with water for at least 15 minutes.
- In case of frostbite, spray with water for at least 15 minutes.
- Apply a sterile dressing.
- Obtain medical assistance.

Ingestion

- Ingestion is not considered a potential route of exposure.

5. FIRE-FIGHTING MEASURES

Specific hazards

- Exposure to fire may cause containers to rupture or explode.

Hazardous combustion products

- None.

Suitable extinguishing media

- All known extinguishants can be used.

Specific methods

- If possible, stop flow of product.
- Move container away or cool with water from a protected position.

Special protective equipment (for fire fighters)

- In confined space, use a self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

- Evacuate area.
- Use protective clothing.
- Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
- Ensure adequate air ventilation.

Environmental precautions

- Try to stop release.
- Prevent from entering sewers, basements and work pits or any place where its accumulation can be dangerous.

Clean up methods

- Ventilate area.

7. HANDLING & STORAGE

General

- Suck back of water into the container must be prevented. Do not allow back-feed into container.
- Use only properly specified equipment, which is suitable for this product, its supply pressure and temperature.
- Keep container below 50°C in a well-ventilated place.
- Refer to SOXAL's booklet on "safe handling, transport and storage of compressed gas cylinder" or contact SOXAL if in doubt.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure limit value

- 5,000 ppm PEL Short Term
- 30,000 ppm PEL Long Term (Singapore Factories Order 1996)

Personal protection

- Ensure adequate ventilation.

9. PHYSICAL & CHEMICAL PROPERTIES

Molecular weight 44
Melting point - 56.6°C
Boiling point - 78.5°C
Critical temperature 30°C
Relative density, gas 1.52 (air = 1)
Relative density, liquid 1.03 (water = 1)
Vapour pressure @ 20°C 57.3 Bar
Solubility mg/l water 2000 mg/l
Appearance/Colour Colourless gas
Odour No odour warning properties
Auto-ignition temperature Not applicable
Flammability range Not flammable
Others Gas/vapour is heavier than air. May accumulate in confined space, particularly at or below ground level.

For product and/or safety enquiry, please send, call, fax or log on to:

SINGAPORE OXYGEN AIR LIQUIDE PTE LTD
16, Jalan Buroh, Singapore 619475.

Tel: (65) 6265 3788 or 6265 4555 Fax: (65) 6265 1441 or 6268 8403 Website: www.soxal.com Business Registration No: 197001157D

LASAL 2

10. STABILITY & REACTIVITY

General

- Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

General

- In high concentrations, may cause rapid circulatory insufficiency. Symptoms are headache, nausea and vomiting, which may lead to unconsciousness.

12. ECOLOGICAL INFORMATION

General

- When discharge in large quantities, may contribute to greenhouse effect (global warming factor = 1).

13. DISPOSAL CONSIDERATIONS

General

- Do not discharge into any place where its accumulation could be dangerous.
- Discharge to atmosphere in large quantities should be avoided.
- Contact SOXAL if guidance is required.

14. TRANSPORT INFORMATION

UN No. 1013
Class/Division 2.2 (Non-Flammable Gas)
Subsidiary risk None
UN proper shipping name Carbon Dioxide
IMO/IATA shipping label



Other transport information

- Avoid transport on vehicles where the load space is not separated from the driver's compartment.
- Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- Before transporting product containers, ensure that they are firmly secured and:
 - compliance with applicable regulations;
 - cylinder valve is closed and not leaking;
 - valve outlet cap nut or plug (where provided) is correctly fitted;
 - valve protection device (where provided) is correctly fitted; and
 - there is adequate ventilation.

15. REGULATORY INFORMATION

General

- Singapore's WSH (General Provisions) Regulations 2006, Sections 42 & 43
- Singapore Standards:
 - CP 12:2000 Part 1
 - CP 98:2003
 - SS 152:2003
 - SS 286:1984 Part 1 to Part 5

Risk and Safety phrases

- S09 – Keep container in a well ventilated place.
- S51 - Use only in well ventilated area.

16. OTHER INFORMATION

General

- Ensure all local regulations or legislations are observed.
- Asphyxiant in high concentrations. Keep container in a well-ventilated place. Do not breathe gas.
- The hazard of asphyxiation is often overlooked and must be stressed before use.
- Contact with liquid may cause cold burns/frost bite.
- Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

----- End of Document -----

Disclaimer:

The information, recommendations and data contained in this document are intended to be used by properly trained and qualified personnel only and at their sole risks and discretion. The information, recommendations and data herein contained are derived from sources which we believe to be reliable. However, SOXAL makes no representation and gives no warranty of any kind whatsoever with respect to their accuracy or completeness and assumes no liability for damages or loss arising directly or indirectly from their use, whether proper or improper.

For product and/or safety enquiry, please send, call, fax or log on to:

SINGAPORE OXYGEN AIR LIQUIDE PTE LTD
16, Jalan Buroh, Singapore 619475.

Tel: (65) 6265 3788 or 6265 4555 Fax: (65) 6265 1441 or 6268 8403 Website: www.soxal.com Business Registration No: 197001157D